


# Honeywell Home



## ElitePRO™ S1200 Smart Thermostat

### Premium design. Pro-grade performance.

The sleek Honeywell Home ElitePRO S1200 Smart Thermostat delivers modern design, customizable touchscreens, and advanced indoor air quality (IAQ) control.<sup>1</sup> Homeowners can even see and speak to visitors at the door directly from the thermostat – compatible with First Alert® and Ring® streaming doorbells.

Combined with Pro-IQ™ services, ElitePRO smart thermostats help you compete at the top while super-charging your business.



<sup>1</sup>Additional HVAC equipment or accessories may be required.

# Designed for pros. Built to impress.



## Doorbell integration

Built-in support for live video doorbells like First Alert® VX1 or Ring®.



## Customizable display

Homeowners can personalize the idle screen theme and color combinations to match their home style.



## Pro-IQ™ Services Your edge in every customer call

Pro-IQ services are behind every ElitePRO smart thermostat - designed to help HVAC pros do more with less. From branded visibility to remote setup and system insights, it turns everyday installs and customer calls into lasting business relationships. All managed in one place, via the Resideo Pro app.

**ELITEPRO™ S1200 SMART THERMOSTAT**  
 THX1200W5/U - WHITE  
 THX1200B6/U - BLACK

**ELITEPRO™ S1200 SMART THERMOSTAT WITH ROOM SENSOR**  
 YTHX1200W5/U - WHITE  
 YTHX1200B6/U - BLACK


**ELITEPRO™ S1200 SMART THERMOSTAT WITH EIM**  
 YTHX1200W7/U - WHITE  
 YTHX1200B8/U - BLACK



|   |   |  |  |
|---|---|--|--|
| <b>Dimensions</b>                               | Device: 5.24"W x 3.54"H x 0.96"D<br>13.31cm x 8.99cm x 2.44cm<br>Screen: 5" 12.7cm                          | Device: 5.24"W x 3.54"H x 0.96"D<br>13.31cm x 8.99cm x 2.44cm<br>Screen: 5" 12.7cm<br>Sensor: 2.4"W x 2.4"H x 0.77"D<br>6.10cm x 6.10cm x 1.96cm | Device: 5.24"W x 3.54"H x 0.96"D<br>13.31cm x 8.99cm x 2.44cm<br>EIM: 5.31"W x 8.07"H x 1.60"D<br>13.49cm x 20.50cm x 4.06cm<br>Screen: 5" 12.7cm        |
| <b>Stages</b>                                   | Up to 4H/2C heat pump or 3H/3C conventional   | Up to 4H/2C heat pump or 3H/3C conventional  | Up to 4H/2C heat pump or 3H/4C conventional  |
| <b>Applications</b>                             | Residential & light commercial  | Residential & light commercial   | Residential & light commercial   |
| <b>Customizable Display</b>                     | Yes   | Yes  | Yes  |
| <b>Video Doorbell Streaming</b>                 | Yes   | Yes  | Yes  |
| <b>Connectivity</b>                             | Redlink™<br>WiFi<br>Bluetooth®<br>Matter  | Redlink™<br>WiFi<br>Bluetooth®<br>Matter   | Redlink™<br>WiFi<br>Bluetooth®<br>Matter   |
| <b>Occupancy Sensor</b>                         | Yes   | Yes  | Yes  |
| <b>Ambient Light Sensor</b>                     | Yes   | Yes  | Yes  |
| <b>Works with Remote Room Sensor</b>            | Yes <sup>1</sup>  | Yes   Included <sup>3</sup>  | Yes <sup>1</sup>   |
| <b>Works with EIM</b>                           | Yes <sup>2</sup>  | Yes <sup>2</sup>   | Yes   Included   |
| <b>Configurable Control Outputs<sup>2</sup></b> | 2   Use to control IAQ devices, additional stages of heating / cooling, or fan speed                        | 2   Use to control IAQ devices, additional stages of heating / cooling, or fan speed   | 4 <sup>4</sup>   Use to control IAQ devices, additional stages of heating / cooling, or fan speed  |
| <b>IAQ Sensing<sup>2</sup></b>                  | Humidity, VOC, & estimated CO <sub>2</sub>  | Humidity, VOC, & estimated CO <sub>2</sub>   | Humidity, VOC, & estimated CO <sub>2</sub>   |
| <b>Private Label Opportunities</b>              | In-app & digital on-device  | In-app & digital on-device   | In-app & digital on-device   |
| <b>Works with Pro-IQ</b>                        | Yes   | Yes  | Yes  |
| <b>Replaces These Models</b>                    | THX321WF2003W/U, THX321WF2003W/UA,<br>THX321WF3003W/U, THX321WF3003W/UA,<br>TH8321WF1001/U, TH8321WF1001/UA | THX321WFS3024W/U, THX321WFS2001W/U,<br>THX321WFS2001W/UA, THX321WFS3001W/U,<br>THX321WFS3001W/UA   | YTHM1004R3024/U, YTHM1004R3000/U,<br>YTHM1004R3001/U, THX9421R5021WW/U,<br>YTHX9421R7001WW/U, YTHX9421R5085WW/U,<br>YTHX9421R5101WW/U, YTHX9421R5127WW/U |

<sup>1</sup>Sold separately. <sup>2</sup>Additional HVAC equipment or accessories may be required. <sup>3</sup>Additional sold separately. <sup>4</sup>Three via the EIM, 1 via the thermostat (for hydronic heating).

## A growth-engine platform built for pros



### Optimize labor

Get more done in less time. Techs can configure the thermostat installer set-up (ISU) on-app or apply saved templates.<sup>5</sup> The streamlined workflow adds consistency and helps reduce errors.



### Drive loyalty

Keep your contact info front and center – on the thermostat and in the homeowner's mobile app. Alerts help maintain and proactively identify issues before they escalate, helping you build trust and keep customers close.<sup>6</sup>



### Generate leads

Turn installs and service calls into income. Real-time insights help you spot maintenance needs and upsell IAQ or system add-ons – all part of a connected, whole-home solution.

<sup>5</sup>Free Pro-IQ membership and Resideo Pro app required. <sup>6</sup>Paid Pro-IQ membership and Resideo Pro app required.

# More than a thermostat. A tool for growth.

The ElitePRO S1200 Smart Thermostat helps you stand out - with premium design for your customers, and powerful data-driven tools for you and your team.



## Modern aesthetic

Design that fits in or stands out. Clean profiles and stylized interfaces elevate any room.



## Premium finish

Available in white or black device color options to suit any style preference.



## Large touchscreen

Big, clear, intuitive. Offer 5" touchscreen options for better visibility and easier control.



## Customizable display

Homeowners can personalize the idle screen with clocks, weather, and other themes while selecting their preferred color combinations.



## Expandable ecosystem

Flex with customer needs. Enhance the HVAC system or smart home integration with connected accessories, like a video doorbell.<sup>3</sup>



## Redlink™ technology<sup>4</sup>

Connect wirelessly with room and outdoor sensors, equipment interface module (EIM), and more.



## EIM compatible<sup>4,5</sup>

Simplify the most complex jobs – helping to save time and costs. Expand applications with additional outputs and minimal wires.



## Optional room sensors

Help prioritize the comfort of the room of choice and reduce hot and cold spots by pairing with Room Sensors.<sup>5</sup>



## Indoor air quality

Comfort is more than just the perfect temperature. Maintain optimal IAQ with humidity and control ventilation to keep air fresh.<sup>2</sup>



## Energy efficient

ENERGY STAR® certified. Proven to help save energy and eligible for rebates.



## UWP® wall-mounting plate

Faster installations and upgrades. Leverage a standardized mounting system used in over 25 million homes already.



## Powered by Pro-IQ™ services

Save time on-the-job while retaining and growing your customer relationships. Get started with a free or paid Pro-IQ membership.



## Video doorbell compatibility

See and speak to visitors at the front door directly from the thermostat. Works with First Alert® and Ring® video doorbells.<sup>1</sup>



## Occupancy detection

Smart thermostat senses and adjusts settings to help save energy and maximize comfort.



## Configurable outputs

Control up to 2 IAQ devices<sup>2</sup> (humidifier, dehumidifier, or ventilators) or accommodate an additional heating or cooling stage.



## HVAC system compatibility

Works with dual fuel, fan-coil, PTAC, and radiant systems.

<sup>1</sup> Sold separately. <sup>2</sup> Additional HVAC equipment or accessories may be required. <sup>3</sup> Video doorbell integration only compatible with the ElitePRO S1200 model, doorbells sold separately. <sup>4</sup> Model compatibility varies; Redlink, and therefore EIM, is not compatible with ElitePRO S900. <sup>5</sup> Option to purchase as a kit with the ElitePRO S1200 or sold separately.

Get to know the ElitePRO S1200 Smart Thermostat and see how it can work for your business: [resideo.com/elitepro](https://resideo.com/elitepro)

## Resideo Technologies, Inc.

16100 N 71st Street, Suite 550  
Scottsdale, Arizona 85254  
Office: 480.573.5340

H\_ElitePRO-S1200\_EUCS | CP | 1225  
© 2025 Resideo Technologies, Inc. All rights reserved.  
The Honeywell Home trademark is used under license from Honeywell International, Inc.  
This product is manufactured by Resideo Technologies, Inc., and its affiliates.

**Honeywell Home**