



ProMix 1" Manifold Kits 2013 series

ProMix 1" Stainless steel modular manifolds operate with a maximum of 194-degree water temperature and 87 psi operating pressure with a flowmeter range of 0-2 gpm. All manifolds come with flow meters with integrated shut off stems providing positive shut off for loop isolation during charging and testing. Total maximum flow rate 14 GPM.



Description	Part #	Qty
2 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20132	1
3 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20133	1
4 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20134	1
5 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20135	1
6 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20136	1
7 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201307	1
8 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201308	1
9 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201309	1
10 Port 1" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201301	1


ProMix 1" Manifold (only) 2013 series



Description	Part #	Qty
2 Port 1" Stainless Steel Flow Balancing Manifold	20137	1
3 Port 1" Stainless Steel Flow Balancing Manifold	20138	1
4 Port 1" Stainless Steel Flow Balancing Manifold	20139	1
5 Port 1" Stainless Steel Flow Balancing Manifold	201310	1
6 Port 1" Stainless Steel Flow Balancing Manifold	201311	1

ProMix 1 1/4" Manifold Kits 201500 series

ProMix 1 1/4" Stainless steel modular manifolds operate with a maximum of 194-degree water temperature and 87 psi operating pressure with a flowmeter range of 0-4 gpm. Total maximum flow rate 19 GPM.



Description	Part #	Qty
2 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20152	1
3 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20153	1
4 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20154	1
5 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20155	1
6 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	20156	1
7 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201507	1
8 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201508	1
9 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201509	1
10 Port 1 1/4" Stainless Steel Flow Balancing Manifold Kit (Valves, Gauges, Vents)	201501	1

ProMix 1 1/4" Manifold (only) 201500 series




Description	Part #	Qty
2 Port 1 1/4" Stainless Steel Flow Balancing Manifold	20157	1
3 Port 1 1/4" Stainless Steel Flow Balancing Manifold	20158	1
4 Port 1 1/4" Stainless Steel Flow Balancing Manifold	20159	1
5 Port 1 1/4" Stainless Steel Flow Balancing Manifold	201510	1
6 Port 1 1/4" Stainless Steel Flow Balancing Manifold	201511	1

## ProMix 1 1/2" Industrial/Geothermal Manifolds

### ProMix 1 1/2" Industrial/Geothermal Manifold Kits 201600 series

AquaHeat



Note: Accessories pictured above are sold separately .

Description	Part #	Qty
2 Port 1 1/2" Industrial/Heatpump Manifold	201602	1
3 Port 1 1/2" Industrial/Heatpump Manifold	201603	1
4 Port 1 1/2" Industrial/Heatpump Manifold	201604	1
5 Port 1 1/2" Industrial/Heatpump Manifold	201605	1
6 Port 1 1/2" Industrial/Heatpump Manifold	201606	1
7 Port 1 1/2" Industrial/Heatpump Manifold	201607	1
8 Port 1 1/2" Industrial/Heatpump Manifold	201608	1
9 Port 1 1/2" Industrial/Heatpump Manifold	201609	1
10 Port 1 1/2" Industrial/Heatpump Manifold	201610	1

ProMix 1 1/2" industrial / geothermal heat pump manifold is designed for high flow rates, 24 GPM single inlet, with brass body and integrated shutoff valves and circuit setters.

### ProMix 1 1/2" Industrial/Heatpump Manifold Accessories



Description	Part #	Qty
ProMix 1 1/2" Steel Manifold Bracket Set	201400	1
ProMix 1 1/2" BSP Union Coupling	201430	
ProMix 1 1/2" NPT x 1 1/2" BSP Isolation Ball Valve	201420	



Description	Part #	qty/each
1" PRO MPT PEX Compression Adapter for Carrier Pipes size 28mm x MPT 1"	30028	1
1" PRO FPT PEX Compression Adapter for Carrier Pipes size 28mm x FPT 1"	30128	1