# Chemicals, Supplies & Oils

Maintain Peak Efficiency For All Equipment













Universal HVAC/R Parts and Supplies

★ Safe when used by a trained HVAC/R professional as directed.

# Chemicals, Supplies & Oils

# Maintain Peak Efficiency for All Equipment with Chemicals, Supplies and Oils.

Totaline offers a complete line of chemicals, oils, and supplies for the HVAC industry.

#### Safe\*

All Totaline products go through a rigorous testing process to ensure safety for the technician and your equipment.

- · Equipment and technician safe
- Carrier and UTC EH&S approved
- Environmental products in line-up

#### Quality

Premium blend of ingredients to help get the job done fast and right!

- Premium products = easy rinse ability
- Exclusive formulation: will not duplicate in another brand
- · Strong, quality products; never diluted

#### Easy to Use

Easy to read graphical representations: Know exactly how to dilute each chemical with the appropriate amount of water.

- · Product type and description right on the package
- Easy to select the correct product
- Clear instructions, dilution information right on the bottle

#### Check us out on the web...

For more details on the complete product offering; including safety data sheets and spanish translations go to <a href="https://www.totaline.com">www.totaline.com</a>



\* Safe when used by a trained HVAC/R professional as directed

# **Table of Contents**

Chemical Cleaners & Accessories	Page
System Protection Coil Cleaners Specialty Cleaners Sprayers Leak Detectors Coil Coatings Hand Wipes	
Supplies	Page
Insect Spray. Drain Treatments. Odor Control. Insulation Products Glycol. Water Treatments.	18 - 20 20 21
Oils	Page
Refrigeration Oils	
Cross Reference Information	Page
Flush	20
Lubri Tect™  Coil Cleaners  Sprayers  General Purpose Cleaners  Solvent Cleaners  Indoor Air Quality / Odor Control  Drain Treatments  Leak Detectors  Ice Machine Cleaner  Miscellaneous Maintenance Products  Scale Removers and Water Treatment  Mineral Refrigeration Oils  Alkylbenzene (AB) Refrigeration Oils  Polyol Ester (POE) Refrigeration Oils  Polyvinyl Ether (PVE) Refrigeration Oils  Vacuum Pump Oils  Insulation Products	30 30 30 30 30 31 31 31 31 31 32 32 32 32 33 33
Coil Cleaners Sprayers General Purpose Cleaners Solvent Cleaners Indoor Air Quality / Odor Control Drain Treatments Leak Detectors Ice Machine Cleaner Miscellaneous Maintenance Products Scale Removers and Water Treatment Mineral Refrigeration Oils Alkylbenzene (AB) Refrigeration Oils Polyol Ester (POE) Refrigeration Oils Polyvinyl Ether (PVE) Refrigeration Oils Vacuum Pump Oils	30 30 30 30 30 30 30 31 31 31 31 32 32 32 32 33 33 33 33

# **System Protection**

#### **Total Flush**



Total Flush provides a solution for flushing air conditioning and refrigeration systems. Flushing these systems is the optimal solution for flushing line sets for R-410a conversions, compressor burnouts, and much more. Total Flush includes the flush injector system tool P902-0325 and the solvent used to flush the system P902-0316.

- Safe for the technicians and all brands of equipment
- Non-Toxic

Part Number: Size:
P902-0325 Total Flush Kit - Canister, Tools, Injection Valve
P902-0325-4 Total Flush Kit - Canister, Tools, Injection Valve (4 Pack)

P902-0316 Total Flush 16 oz. Refillable Solvent

P902-0316-6 Total Flush 16 oz. Refillable Solvent (6 Pack)

#### **Lubri Tect**<sup>™</sup>



Neutralizes, scavenges, and prevents acid and moisture in air conditioning and refrigeration systems

- Completely safe for your system
- No harmful residues
- No by-products
- Use for preventative maintenance or after compressor burnouts
- Will treat up to 1 gallon of system lubricants
- Safe with all lubricants, mineral, alkylbenzene, and polyol ester lubricants

Part Number: Size:

H-3702 2.4 FL. Oz.



# **System Protection**

### Totaltest® 2 All-In-One Kit: Acid & Moisture Testing System



Totaltest checks to see if acid or moisture is present in the system. The Totaltest tube chemical crystals react with acid or moisture by changing colors for an easy visual check.

There are two types of test tubes: Blue and Yellow.

Totaltest Blue Test Tubes:

- Used for acid and moisture test for select CPC, HCFC, and HFC refrigerants R-11, R-12, R-500, R-502, R-22, R-134a, R-407c
- Acid Test Only: for HFC refrigerant R-410a Yellow Test Tubes:
- Moisture test only for HFC refrigerant R-410a

#### Kit Includes:

- One Totaltest instrument
- 5 x Blue Totaltest test tubes
- · 5 x Yellow Totaltest test tubes
- 1 x Totaltest Kit case

Part Number: Size:

TT1-002 Totaltest 2 Kit

Totaltest®Blue Test Tubes
Six canisters of five blue test tubes (30 tubes total)

Part Number: Size:

TT2-001 6 x five Blue Test Tubes

Totaltest Yellow Test Tubes Six canisters of five yellow test tubes (30 tubes total)

Part Number: Size

TT2-002 6 x five Yellow Test Tubes



# System Protection

### ZEROL® ICE Air Conditioning Lubricant Performance Enhancer



ZEROL® ICE is a revolutionary, fully synthetic lubricant performance enhancer designed specifically for use in stationary air conditioning systems.

- Can be added to the compressor oil as a single liquid dose during an initial fill, repair or maintenance (oil/gas top-up/refill) operation
- Can be professionally added either by itself or mixed in the conventional oil
- Fully synthetic performance enhancer designed specifically for use in stationary air conditioning systems
- OEM approved field remedy for sticking TXV's
- ZEROL ICE is compatible with many common air conditioning oils such as mineral oils, alkyl benzenes and polyol esters and with R-22, R-134a, R-410a and other common HFC refrigerants

Part Number: Size:

040232191046 4 oz. Net Wt.



How to Use: (1) bottle per system applied using an oil/dye injection tool

### 4 oz. Oil Dye Injection Tool

Application tool for use with Zerol Ice

Part Number: 69562



# Maintain Peak Efficiency for All Equipment ....Can Your Coil Cleaner Say that?

Totaline uses premium ingredients to ensure quality coil cleaner for all different applications. One premium blend is utilizing reactive expanding foam including formulations of potassium hydroxide.

- Provides rich, effective expanding foam that pushed contamination from deep within the coil
- Potassium formulations are more soluble in water which provides better rinse ability

#### **Dirty Coil?**

Get the Totaline®Advantage!





Results you can see.

#### **Coil Cleaner Selection Chart**

Product Number	Product Name	Category	Use On	Expanding Foam Action	Best For	Rinse?	Special Notes	Personal Protection			
P902-0201	Foam Cleaning Fluid						Use with foam fluid gun (P902-9003)	Gloves & Safety			
P902-0104	Outdoor Non- Acid Base Coil Cleaner		Outdoor		Greasy Contamination		Dilutes with up to 80 parts water	Goggles  Avoid Breathing			
P902-0101 P902-0101A P902-0101B	Condenser Cleaner Non- Acid Concentrate	Alkaline	Condenser Coils	Yes	Safer than HF Acid-Based Coil Cleaners	Always rinse thoroughly with water	Concentrated Foaming Condenser Cleaner	Vapors  Avoid all Skin &			
P902-0118	Condenser Cleaner Non- Acid Aerosol						Easy to Use Aerosol	Eyes Contact  Rinse from Skin & Eyes w/o Delay			
P902-1801	Triple Clean	*	Evaporators &	No	Universal Coil Cleaner		<ol> <li>Cleaner</li> <li>Degreaser</li> <li>Deodorizer</li> </ol>	Lyss wa bolay			
P902-0301	Environmentally Sound Coil Cleaner	Condensers		Will Not Etch Aluminum Attacks Only	PM Schedules		Excellent for Environmentally Sensitive Jobs				
P902-1001 P902-1001A	Indoor Coil Cleaner Concentrate	Detergent			Aluminum	Aluminum	Aluminum I	Hard to Rinse	Self-Rinsing on Evaporators	Concentrated Evaporator Cleaner	Safety Glasses  May Irritate Eyes &
P902-1004	Indoor Base	Evaporator	Evaporators		Evaporator Coils & Indoor		1 Qt. Makes over 6 Gallons	Skin			
P902-1018	Indoor Coil Cleaner Aerosol				Areas		Easy to Use Aerosol				

#### **Triple Clean**



The Totaline® Triple Clean is a coil cleaning detergent, deodorizer and degreaser. Built with a premium formulation this coil cleaning solution easily rinses away dust and grime.

· Cleaner, deodorizer, degreaser

Part Number: Size:

P902-1801 1 Gal. (3.8L)

### Condenser Cleaner, Non-Acid Concentrate (Yellow)



The Totaline Non-Acid formulation makes it safer to use than commonly used acid cleaners. This product is biodegradable and authorized by the U.S.D.A for use in federally inspected meat and poultry processing plants.

- Removes grease, exhaust and other sticky residue from condensers
- · Easy to use expanding foam action; spray on and easily rinse off
- · Premium potassium formulation for better rinsing
- · Excellent for greasy coils
- Come in a variety of sizes including a convenient aerosol application

 Part Number:
 Size:

 P902-0118
 18 ounce Aerosol

 P902-0101
 1 Gallon (3.8L)

 P902-0105
 5 Gallon (22.8L)

 P902-0155
 55 Gallon (208.8L)





5 Gallon





#### **Total-Bright, Condenser Coil Cleaner**



Total-Bright cleaner combines the most effective ingredients for superior brightening power not normally achieved with expanding foam, alkaline coil cleaners.

- Premium brightening power
- · Even more expanding foam action
- · Alkaline, Non-Acid
- · Premium potassium formulation for better rinsing
- Makes up to 21 gallons of useable cleaner from one gallon of concentrate

Part Number: Size:

P902-0101A 1 Gallon (3.8L)



### Super Concentrate Non-Acid Condenser Cleaner (BASE™)



Why pay for shipping water?

- · Premium brightening power
- Highest value of condenser coil cleaner
- Formulated with 100% active ingredients
- · Mix usable solution on the job site

Part Number: Size:

P902-0104 1 Quart (946ml) P902-0101B 1 Gallon (3.8L)

P902-0155B 55 Gallon



### Super Concentrated Indoor Coil Cleaner (BASE™)



This is a self-rinsing base effectively cleans evaporators by removing mold, dust, and greasy residue.

- Easy to use just add water
- Super concentrate dilutes with 24 parts water and makes over 6 gallons
- · No expanding foam actions
- Attacks only dirt not metal
- Self-rinsing formulation

Part Number: Size:

P902-1004 1 Quart (946ml) P902-1001A 1 Gallon (3.8L)

#### Indoor Aerosol Coil Cleaner



Convenient, aerosol can for a no-mix and no mess easy way to clean evaporator coils.

- Deep penetrating foam to reach deep into the coil
- · Easy to use

Part Number: Size:

P902-1018 18 Ounces

#### **Internal Coil Cleaner**



The Totaline Internal Coil Cleaner is a biodegradable chemical that cleans interior lines in air conditioners and refrigeration systems after compressor burnout or prior to new installation.

- Environmentally sound replacement for R-11, R12, and chlorinate solvents
- Breaks down carbon deposit, tar sludge, oil, grease, and neutralizes acids in systems
- Does not contaminate refrigerant or oil, contains no CFCs, and leaves no residue

Part Number: Size:

P902-1601 1 Gallon (3.8L)



### Foam Cleaning Fluid



The Totaline Foam Condenser coil cleaner was formulated to efficiently clean coils with the use of the Totaline Multi Ratio Foam Gun.

Part Number: Size:

P902-0201 1 Gallon (3.8L) P902-0206 5 Gallon (22.8L) P902-0255 55 Gallon (208.8L)







#### **Multi-Ratio Foam Gun**



The Totaline Multi Ratio Foam Gun attaches to any garden hose and applies the Foam Cleaning solution at an adjustable dilution rate from 3 to 10 parts water.

 Easy Rinsing: Remove pistol grip portion of the Foam Gun and thoroughly rinse coil

Part Number: Size:

P902-9003 Multi Ratio Foam Gun


### **Environmentally Sound Coil Cleaner (Indoor + Outdoor)**



Safely cleans both evaporator and condenser coils without potential damage to equipment, personnel or the environment. Unlike strong acid or highly alkaline cleaners that actually eat away a thin layer of aluminum to remove contamination, it attacks only the dirt build up and leaves metal surfaces clean and free of corrosion.

- No expanding foam action attacks only dirt buildup, not metal
- Self-rinsing on evaporator coils
- · Condenser: Dilute with 4 parts water
- Evaporators: Dilute with 8 parts water
- Approved for use on E-Coated coils
- No acid, no butyl ether, no phosphates, no potassium hydroxide, no sodium hydroxide
- Odorless & non-combustible

Part Number:	Size:
P902-0301	1 Gal. (3.8L)
P902-0305	5 Gal. (22.8L)
P902-0355	55 Gal. (208.8L)



#### **Indoor Coil Cleaner Concentrate**



The Indoor Coil Cleaner Concentrate is safe for cleaning evaporator coils in place. With the Totaline self-rinsing evaporator coil cleaner you are able to clean evaporator coils in one step while the system is in operation. Just spray into the upstream side of coils and the air flow causes complete coil penetration. The contaminated solution drains as condensate without rinsing.

- · Cleans coil, condensate pan and drain line
- Authorized by the U.S.D.A. for use in federally inspected meat and poultry processing plants
- Biodegradable

Part Number:	Size:
P902-1001	1 Gal. (3.8L)
P902-1005	5 Gal. (22.8L)
P902-1055	55 Gal. (208.8L)







**Parts and Supplies** 

# **Speciality Cleaners**

#### Ice Machine Cleaner




Ideal cleaner for ice machines, the Totaline Ice Machine Cleaner meets Manitowoc's specification GES-6 for nickel safe ice machine cleaner.

- · Removes slime and scale buildup to restore efficiency of ice machines
- Fast-acting, non-foaming
- Nickel-Safe

Part Number: Size:

P902-1508 8 oz. Bottle P902-1516 16 oz. Bottle

P902-1501 1 Gal. (3.8L)





Remove tobacco tars, grease, grime, soot and baked-on residues from electronic filters, refrigeration parts, heating parts, fans, vents, blowers, air ducts and registers.

- Biodegradable
- Authorized by U.S.D.A. for use in federally inspected meat and poultry processing plants

Part Number: Size:

P902-2001 1 Gallon (3.8L)



### **Total 9 Concentrated All Purpose Cleaner**



Concentrated, all-purpose cleaner formulated to quickly remove grease and heavy soils.

- Cleans any washable, non-porous surface
- Use as a spray & wipe cleaner or dilute for other cleaning jobs
- Environmentally friendly: safer to use alternative to bleaches, solvents, and toxic cleaners
- Gentle to skin

Part Number: Size:

P902-1732 1 Quart (940 ml) P902-1701 1 Gallon (3.8L)



# **Speciality Cleaners**

### **Degreasing Solvent**



Degreasing full strength solvent that is non-chlorinated that combines effectiveness with personal safety and environmental concerns.

- · Slow evaporating, 177°F flash point
- Biodegradable
- Contains no toxic substances as defined by SARA Title III, Section 313.

Part Number: Size:

P902-3002 1 Gallon Bottle

#### **Solvent Cleaner and Degreaser**



Removes oil, grease and grime from mechanical parts, sheet metal, switches, motor armatures, etc.

- Controlled evaporation ensures deep soil penetration for effective cleaning
- · Non-chlorinated, high flash point (145°F), pleasant citrus scent

Part Number: Size:

P902-1325 1 Quart (946 ml) P902-1301 1 Gallon (3.8L)



# **Sprayers**

#### Trigger Sprayer, Tank Sprayer and Fog Machine

Totaline offers multiple variations of sprayers to enhance the coil cleaning process and making it easy for technicians to get the job done right! Take a look at the variety of sprayers below:



P902-9002

Part Number: Size:

P902-9001 1 Qt. Trigger Spray Plastic Bottle with fill/dilution graduations

P902-9015 1 Gallon Pump Style Tank Sprayer P902-9002 2 Gallon Pump Style Tank Sprayer

P902-9016 Fogger Machine for Use with Coil & Duct Spray

### **Leak Detectors**

### **Low Temperature Gas Leak Detector**



Totaline Low Temp Gas Leak Detector was designed to detect any size leak from a hair line crack to a crack visible to the naked eye. The formulation creates bubbles when a gas leak is present.

- Works in the most extreme environments with a freeze point up to -20° F
- Reliable in almost all weather environments

Part Number: Size:

P902-1432LT 1 Qt. Sprayer Bottle

P902-1401LT 1 Gallon Refill

# **Leak Detectors**

### Leak Reactant, Blue Spray-Type



Totaline Leak Reactant provides a quick and easy way to pinpoint gas leaks from any pressurized gas system.

- Instantly produces an easy to see, long lasting stream of bubbles
- · Convenient spray for hard to reach areas
- · Non-clogging, non-hazardous, non-corrosive
- Biodegradable

Part Number: Size:

P902-1432 1 Quart (946 ml) P902-1401 1 Gallon (3.8L)



### Gas Leak Locator, Fluorescent Dauber-Type



The Totaline Gas Leak Locator provides immediate detection of large leaks.

- Upon application, large leaks will bubble
- For small, slow leaks bubbling will occur within a few seconds
- Use integrated dauber pad to apply liberally around suspected joints

Part Number: Size:

P902-4501 1 Gallon (3.8L) refill

P902-4508 8 Oz. (236 ml) Dauber in bottle





# **Coil Coatings**

#### **Fin Protector**



Protect painted and unpainted metals from rust and corrosion with the Totaline Fin Protector. This is a specially formulated coating containing acrylic polymers and anti-corrosion agents.

- Seals and protects aluminum, copper, brass, bronze, chrome, galvanized metal, titanium and stainless steel
- · Will not affect heat transfer
- Ideal for use on air cooled condensers located in corrosive environments

Part Number: Size:

P902-5101 1 Gallon (3.8L)

P902-5116 16 oz. (454g) Net Wt. Aerosol

#### **Cooling Coil Treatment**



Continually washes away airborne and other contaminants for 2-3 years.

- Contains preservatives that protect against deterioration caused by mold and bacterial growth common in air conditioning units
- Improves Indoor Air Quality
- · Eliminates Foul Odors at Their Source
- · Safe, Easy to Use, Water Cleanup

Part Number: Size:

P902-1125 1 Quart (940 ml) P902-1101 1 Gallon (3.8L)

# **Hand Wipes**

### **Easy Clean Hand Cleaner Wipes**



Now it's easy to stay clean, fresh and professional for every job. Pre-moistened, heavy-duty scrubbing towels are aggressive on dirt and gentle on your skin. Stay clean without a heavy orange solvent odor.

- Strong, effective water-based cleaning agents
- Containers don't dry out!
- Tough on grease & grime
- · Built in skin conditioners

Part Number: Size

P902-9020 75 Count Dispensers

# **Insect Spray**

### Wasp & Hornet Killer



- · Kills wasps, bees and hornets on contact
- Shoots a powerful blast up to 20 feet (6.1 meters)
- Dielectric strength over 47,000 volts for safety
- · U.S. EPA approved for use indoors (attics) and outdoors

Part Number: Size:

P902-4016 14 oz. (397g) Net Wt. Aerosol

# **Drain Treatment**

#### **Condensate Drip Pan Cleaner**



A controlled release, water activated product that easily fits into most air conditioners, refrigerator drip pans and humidifier water tanks.

- Lasts up to six months
- Effectively maintains clean water while reducing mold, algae, fungus, legionella bacteria and other micro-organisms
- Reduces foul odors, drain stoppages, corrosion and promotes system hygiene
- EPA Registered

Part Number:	Size:	Use:
P902-38001 (Bulk Pack)	0.5 oz. strip (20 count jar)	Window / Fan & Coil
P902-38002	0.5 oz. strip	Window / Fan & Coil
P902-38003	1 oz. strip	Up to 2.5 tons
P902-38004	3 oz. strip	3 to 5 tons
P902-38005	6 oz. strip	6 to 10 tons
P902-38006	12 oz. strip	Up to 20 tons
P902-38004 P902-38005	3 oz. strip 6 oz. strip	3 to 5 tons 6 to 10 tons



### **Drain Treatment**

### **Coil and Duct Spray**



All-purpose deodorizer for use on HVAC systems including duct work and evaporator coils.

- Controls micro-organism growth and eliminates odors caused by their growth
- Easy to use. Clean the area and thoroughly spray all parts
- Environmentally safe
- EPA registered

Part Number: Size:

P902-3601 1 Gallon (3.8L)

P902-3632 1 Quart (946 ml) Spray Bottle

### Mega Tabs, Condensate Drain Treatment



Mega Tabs are designed with a gel ingredient that allows the tabs to stick to the drain pan when wet. The gel features allows them to stay high in the water stream for slower dissolving rates and longer term treatment.

Use Mega-Tab to eliminate most of the extra maintenance problems such as odors, overflows and water damage caused by plugging condensate drains and pans.

- · Easy-to-use, safe, non-toxic, and non-corrosive
- Does not form any deposits in the pan or drain
- Clean sludge, scum and other accumulations in condensate drain pans preventing the odors caused by these accumulations.

Part Number:	Size:	
P902-42002*	Mega Tab (single pack bag)	
P902-42003	20 Ton Tab - Clam Shell Pack	NEW
P902-42004	20 Ton Tab – 6 Pack Bulk	SIZES
P902-42005	20 Ton Tab – 56 Pack Bulk	

\*Use 1 tab per 5 tons

## **Drain Treatment**

#### **Total Tabs**



Total Tabs are pill sized drain pan cleaners that are ideal for monthly maintenance to clean drain pans.

Part Number: Size:

P902-42001 Total Tabs (200 count jar)

\*2 tabs per 1.5 tons

# **Odor Control**

#### TotalFresh<sup>™</sup>Odor Control



TotalFresh is a long lasting odor neutralizer that removes odors from the air. It is not a perfume or masking agent.

- TotalFresh reduces odors caused by mold, mildew, smoke and pets, as well as, odors caused by solvents, hydrogen sulfide and other noxious chemicals
- TotalFresh can be used in hospitals, nursing homes, schools, basements, vehicles, kennels and various other locations
- For those hard to remove odors, use TotalFresh by Totaline®

#### **Original TotalFresh Scent:**

Part Number:	Size:
P902-39001	½ lb. gel tub
P902-39002	1 lb. gel tub
P902-39003	3 lb. gel tub
P902-39005	30 lb. gel tub
P902-39006	1 lb. gel block, use with wall mount
P902-39007	Wall mount plus 6 blocks
P902-39008	Liquid spray, 16 fl. Oz.
P902-39004	Liquid spray, 1 Gallon

#### **TotalFresh II – Alternative Scent**

Size.
½ lb. gel tub
1 lb. gel tub
3 lb. gel tub



Universal HVAC/R Parts and Supplies

### **Insulation Products**

#### **Insulation Tapes**



The Totaline Insulation Tapes effectively insulates hot or cold pipes and comes in two types: foam and cork.

- · Stops condensation and drip
- Firmly adheres to non-porous surfaces and to itself for multiple-wrap applications
- · Molds easily around valves and fittings
- Will not shrink or dry out



#### **Foam Insulation Tape**

Part Number: Size:

P904-0101 30 foot roll x 1/8 inch thick

Cork Insulation Tape:
Part Number: Size:

P904-0201 30 foot roll x 1/8 inch thick

### **Sealing Gums**



The Totaline Sealing Gums comes in two different versions: a Sealing Gum Cord and a Sealing Gum Slug.

- · Easily formed by hand to any shape
- · Seals out dust and moisture from joints
- Won't dry out or crack
- Firmly adheres to non-porous surfaces



#### **Sealing Gum Cords**

Part Number: Size

P904-0303 25 foot roll x 3/8 inch bead

Sealing Gum Slug
Part Number: Size:

P904-0404 2 pound block

# **Glycol**

### **Glycol Freeze Protection**



Totaline Freeze Protection is an anti-freeze solution formulated with 70% concentration of propylene glycol. This 1 gallon solution will provide contractors a method to protect systems against freeze and corrosion.

· Food grade GRAS approved

Part Number: Size: P902-1901 1 Gallon

## **Water Treatments**

#### Scale Remover with pH Indicator



An easy to use inhibited hydrochloric acid type descaler with a pH indicator is conveniently built in.

- pH indicator = red the circulating solution is active
- pH indicator = yellow it is spent
- Authorized by the U.S.D.A. for use in Federally inspected meat and poultry processing plants

Part Number: Size:

P902-2601 1 Gallon (3.8L) P902-2605 5 Gallon (22.8L)



### **Water Treatments**

#### One Shot Scale & Corrosion Control



The Totaline one shot scale and corrosion control is a simple, effective solution for continuous maintenance of chilled water systems. You are able to visually maintain treatment levels at 200-300 ppm with easy to use color indicator strips (included with the product).

- Polymerphosphonates provide scale control
- Corrosion control is maintained by a formation of a protective molybdenum film on metal surfaces
- Contains dispersants and peptizing agents to keep heat transfer surfaces free of insoluble materials such as silt and airborne dirt particles.

Part Number: Size:

P902-5501 1 Gallon (3.8L) P902-5505 5 Gallon (22.8L) P902-5555 55 Gallon (208.8L)

### **Low Foaming Scale Remover**



Safely acidizes and removes scale from cooling towers, pipes and condensers while system is in operation.

- Cleans entire open water side of system in one step
- Contains no harsh hydrochloric, sulfuric or sulfamic acid
- Authorized by U.S.D.A. for use in federally inspected meat and poultry processing plants

Part Number: Size:

P902-2501 1 Gallon (3.8L) P902-2505 5 Gallon (22.8L) P902-2555 55 Gallon (208.8L)

### **Water Treatments**

### **NAR-CIDE Algaecide\***



Totaline Algaecide helps controlling algae, iron bacteria, and other slime that forms microorganisms that contribute to biological fouling of cooling towers, heat exchanges, and other parts of recirculating water systems.

- Highly concentrated and should be used at the rate of 0.73 to 7.3 fluid ounces per 1000 gallons (21 to 216 ml per 3785 liters) of circulating water
- \*NEW FORMULATION: Now more concentrate; use only half as much for the same treatment rate!

Part Number: Size

P902-3501 1 Gallon (3.8L)

#### **Winter Corrosion Protector**



Safeguards drained water systems during winter shutdown by laying a protective film over the water side of system.

• Reduces subsequent rust, corrosion and system deterioration

Part Number: Size:

P902-5005 5 Gallon (22.8L)



5 Gallon



## Oils

### Polyolvinyl Ether Refrigeration Oil (PVE)



Totaline PVE 68 is a new generation polyvinyl ether compressor lubricant for use with HFC refrigerants.

- Inherently resistant to Hydrolysis which provides superiority over polyolesters (POE)
- Use in systems requiring ISO VG 68 polyvinyl ether lubricant and replaces FVC68D
- Where approved by the OEM, Totaline PVE 68 is also suitable for systems requiring ISO VG 32 (FVC32D) polyvinyl ether lubricant
- Replaces FVC 68D

Part Number: Size:

P903-1925 1 Quart (946 ml)

### Vacuum Pump Oil



- · Cleans pump while loosens dirt and sludge
- · Anti-rust ingredient protects internal parts
- Combination of additives makes for a true anti-wear lubricant and lengthens pump life
- · Finely filtered during packaging for high purity

Part Number: Size:

P903-0632 1 Quart (946 ml) P903-0601 1 Gallon (3.8L) P903-0605 5 Gallon (22.8L)

# Oils

### **Penetrating Oil & Lubricant**



- · Convenient spray bottle
- · Stops squeaks
- · Loosens rusted parts
- · Prevents corrosion
- · Displaces moisture
- · Protects metal
- · No gummy build-up

Part Number: Size:

P903-8025 1 Quart (946 ml) – Spray Bottle



### **Mineral Refrigeration Oil (MIN)**



#### **Mineral Refrigeration Oil (MIN)**

- · High quality naphthenic based lubricants
- · OEM approved
- Compatible with CFC and HCFC refrigerants
- Moisture and wax free
- Finely filtered during packaging for high purity





5 Gallon

55 Gallon



150 SUS			
Part No.	Туре	Size	Replaces
P903-0101	150 SUS	1 Gal. (3.8L)	3GS, WF32, C-3
P903-0105	150 SUS	5 Gal (18.9 L)	3GS, WF32, C-3
P903-0155	150 SUS	55 Gal (208.2 L)	3GS, WF32, C-3
400		100	
100.00			10000
Part No.	Туре	Size	Replaces
P903-0201	300 SUS	1 Gal. (3.8L)	4GS, WF68, C-4
P903-0205	300 SUS	5 Gal (18.9L)	4GS, WF68, C-4
P903-0255	300 SUS	55 Gal (208.2L)	4GS, WF68, C-4

### Alkylbenzene Refrigeration Oil (AB)



- High quality reliable lubrication
- High solubility
- · Low foaming
- · Low floc point
- Excellent thermal stability
- · OEM approved



5 Gallon

1000			
150 SUS		1.00 0.34	
Part No.	Туре	Size	Replaces
P903-2001	150 SUS	1 Gal. (3.8L)	Zerol 150, RF150, AB150
P903-2005	150 SUS	5 Gal (18.9L)	Zerol 150, RF150, AB150
200 SUS - Copelan	d approved	THE STATE OF	
Part No.	Туре	Size	Replaces
P903-2101	200 SUS	1 Gal. (3.8L)	Zerol 200TD, AB200A
P903-2105	200 SUS	5 Gal (18.9L)	Zerol 200TD, AB200A
300 SUS			
Part No.	Туре	Size	Replaces
P903-2201	300 SUS	1 Gal. (3.8L)	Zerol 300, AB300
P903-2205	300 SUS	5 Gal (18.9L)	Zerol 300, AB300

# Oils



#### Polyol Ester Refrigeration Oil (POE)

- Excellent lubricating properties over a wide temperature range
- OEM approved
- Specially formulated for use with HFC refrigerants
- Also compatible with CFC HCFC refrigerants for easier changeovers



5 Gallon

easier chan	geovers			5 Gallon
POE32				
Part No.	Type	Viscosity	Size	Replaces
P903-1125	POE32	32 cSt	1 Qt. (946 ml)	SW 32
P903-1101	POE32	32 cSt	1 Gal. (3.8L)	SW 32
P903-1105	POE32	32 cSt	5 Gal. (18.9L)	SW 32
POE32e				
Part No.	Туре	Viscosity	Size	Replaces
P903-2425	POE32e	32 cSt	1 Qt. (946 ml)	RL32H, EAL ARTIC 32
P903-2401	POE32e	32 cSt	1 Gal. (3.8L)	RL32H, EAL ARTIC 32
P903-2405	POE32e	32 cSt	5 Gal. (18.9L)	RL32H, EAL ARTIC 32
1000 -			0 04.1 (10.02)	1120211, 27127111110 02
POE32 3maf			A CONTRACTOR OF THE PARTY OF TH	
Part No.	Type	Viscosity	Size	Replaces
P903-1625	POE32 3ma	f 32 cSt	1 Qt. (946 ml)	RL32-3MAF
D000 4004	D05000		4.0.1.(0.01)	EAL ARTIC 32-3MAF
P903-1601	POE32 3ma	if 32 cSt	1 Gal. (3.8L)	RL32-3MAF EAL ARTIC 32-3MAF
32BC - Bristo	ol Compresse		Tel- Till	EALARTIC 32-SWAF
			Size	Replaces
Part No.	Туре	Viscosity	<b>Size</b>	Replaces
Part No. P903-1812			<b>Size</b> 12 fl. oz. (355 ml)	Replaces EAL ARTIC 32 BC
Part No. P903-1812 POE68	Type 32BC	Viscosity 32 cSt	12 fl. oz. (355 ml)	EAL ARTIC 32 BC
Part No. P903-1812 POE68 Part No.	Type 32BC Type	Viscosity 32 cSt Viscosity	12 fl. oz. (355 ml) Size	EAL ARTIC 32 BC Replaces
Part No. P903-1812 POE68 Part No. P903-1025	Type 32BC  Type POE68	Viscosity 32 cSt Viscosity 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml)	EAL ARTIC 32 BC  Replaces RL32HB, RL32HP, SW 68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001	Type 32BC  Type POE68 POE68	Viscosity 32 cSt Viscosity 68 cSt 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005	<b>Type</b> 32BC <b>Type</b> POE68 POE68 POE68	Viscosity 32 cSt Viscosity 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml)	EAL ARTIC 32 BC  Replaces RL32HB, RL32HP, SW 68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov	<b>Type</b> 32BC <b>Type</b> POE68 POE68 POE68 w <b>Temp</b>	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No.	Type 32BC  Type POE68 POE68 POE68 W Temp Type	Viscosity 32 cSt Viscosity 68 cSt 68 cSt 68 cSt Viscosity	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No. P903-1725	Type 32BC  Type POE68 POE68 POE68 w Temp Type POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No. P903-1725 P903-1701	Type 32BC  Type POE68 POE68 POE68 w Temp Type POE68 POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml) 1 Gal. (3.8L)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68 RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No. P903-1725 P903-1701 P903-1705	Type 32BC  Type POE68 POE68 POE68 w Temp Type POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lor Part No. P903-1725 P903-1701 P903-1705 POE100e	Type 32BC  Type POE68 POE68 POE68 W Temp Type POE68 POE68 POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt 68 cSt 68 cSt 68 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68 RL68H, EAL 68, ICEMATIC E68 RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No. P903-1725 P903-1701 P903-1705 POE100e Part No.	Type 32BC  Type POE68 POE68 POE68 W Temp Type POE68 POE68 POE68 POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt 68 cSt 68 cSt Viscosity Viscosity	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1005 POE68e - Lov Part No. P903-1725 P903-1701 P903-1705 POE100e Part No. P903-1525	Type 32BC  Type POE68 POE68 POE68 W Temp Type POE68 POE68 POE68 POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt 68 cSt 68 cSt Viscosity 100 cSt	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml)	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68  Replaces RL68H, EAL 68, ICEMATIC E68
Part No. P903-1812 POE68 Part No. P903-1025 P903-1001 P903-1005 POE68e - Lov Part No. P903-1725 P903-1701 P903-1705 POE100e Part No.	Type 32BC  Type POE68 POE68 POE68 W Temp Type POE68 POE68 POE68 POE68	Viscosity 32 cSt  Viscosity 68 cSt 68 cSt 68 cSt Viscosity 68 cSt 68 cSt 68 cSt Viscosity Viscosity	12 fl. oz. (355 ml)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size 1 Qt. (946 ml) 1 Gal. (3.8L) 5 Gal. (18.9L)  Size	Replaces RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 RL32HB, RL32HP, SW 68 Replaces RL68H, EAL 68, ICEMATIC E68



Universal HVAC/R Parts and Supplies

POEZZUVS Part No.	Туре	Viscosity	Size	Replaces
P903-2325	POE200vs	200 cSt	1 Qt. (946 ml)	RL220HC+, SW 220, SW 220XL
P903-2301	POE200vs	200 cSt	1 Gal. (3.8L)	RL220HC+, SW 220, SW 220XL
P903-2305	POE200vs	200 cSt	5 Gal. (18.9L)	RL220HC+, SW 220, SW 220XL

# Oils

## Approved Totaline<sup>®</sup> Oils for Totaline and Carlyle<sup>™</sup> Compressors

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18.60	100				
	Refrigerant R-12, (L & H temp.)	R-12, R-22 )	Refrigerant F (Med. temp.)	Refrigerant R-507, R-404A (Med. temp.)	Refrigerant R-507, R-404A (Low temp.)	77, R-404A	Refrigerant R-407C (Med. temp & A/C)	R-407C & A/C)	Refrigerant R-134a (M & H temp.)	R-134a .)
Compressor Model	Oil Model	Totaline Part Number	Oil Model	Totaline Part Number	Oil Model	Totaline Part Number	Oil Model	Totaline Part Number	Oil Model	Totaline Part Number
Carlyle 06D, E Semi-hermetic (Oil approvals are the same for 06D/E and 5F/H)	Z 150 (Alkylbenzene)	P903-2001 P903-2005 P903-2025	POE68	P903-1001 P903-1025 P903-1005	POE68e (Do not use POE68 for Low temp.)	P903-1725 P903-1701 P903-1705	POE68	P903-1001 P903-1025 P903-1005	POE68	P903-1001 P903-1025 P903-1005
	Mineral Refr Oil 150	P903-0101 P903-0105 P903-0155	POE68e	P903-1725 P903-1701 P903-1705			POE68e	P903-1725 P903-1701 P903-1705		
Carlyle 5F/H open	Z 150 (Alkylbenzene)	P903-2001 P903-2005 P903-2025	POE68	P903-1001 P903-1025 P903-1005	POE68e (Do not use POE68 for Low temp.)	P903-1725 P903-1701 P903-1705	POE68	P903-1001 P903-1025 P903-1005	POE68	P903-1001 P903-1025 P903-1005
	Mineral Refr Oil 150	P903-0101 P903-0105 P903-0155	POE68e	P903-1725 P903-1701 P903-1705			POE68e	P903-1725 P903-1701 P903-1705		
Carlyle 05T/06T Screw (74) OEM Screw 33-108 cfm	POE100e Solest 170 (R-22 only)	P903-1501 P903-1505 P903-1525 SOLEST170-1G SOLEST170-5G	POE100e	P903-1501 P903-1505 P903-1525	POE100e	P903-1501 P903-1505 P903-1525	Not a recomm	Not a recommended application	POE100e	P903-1501 P903-1505 P903-1525
Carlyle 104mm 06N Screw (30GX/30HX Global Chiller) & Carlyle Thunderbolt/Paragon 06T Screw (30XA AquaForce Chiller)	Not a recommended	ended application	Not a recomm	Not a recommended application	Not a recommended application	ded application	Not a recomm	Not a recommended application	POE220vs	P903-2325 P903-2301 P903-2305 P903-1225 P903-1201
Carlyle 23XRV FoxFire Screw	Not a recomme	Not a recommended application	Not a recomm	Not a recommended application	Not a recommended application	ded application	Not a recomm	Not a recommended application	P0E220vs	P903-2325 P903-2301 P903-2305

Totaline Part Number	Description	NuCalgon Part Number	Other Part Number
Flush	Carlot Area		
P902-0325	Total Flush Kit	4300-08	N/A
P902-0316	Total Flush Refillable Solvent	4300-30	N/A
Lubri Tect™			Table 1 To 1
H-3702	Lubri Tect Nuetralizes, Scavenges, Prevents, Acid & Moisture	4301-02 Acid Scavenger	N/A
Coil Cleaners			
P902-1801	9	4371-88	N/A
902-0118	Condenser Cleaner Non-Acid (Aerosol)	4291-18: Nu-Brite (Aerosol)	N/A
902-0101	Condenser Cleaner Non-Acid (Yellow)	4291-08: Nu-Brite (Blue)	Alki-Foam AKF-1
902-0105	Condenser Cleaner Non-Acid (Yellow) 5 gal pail	N/A	N/A
P902-0101A	Total Bright Non-Acid (Brown)	4120-08: Alka-Brite Plus (Brown)	FM-1: Foam Max
P902-0101B	Super Concentrate Non-Acid BASE™	N/A	N/A
902-0104	Super Concentrate Non-Acid BASE™ Quart	N/A	N/A
902-0201	Foam Cleaning Fluid	N/A	N/A
902-0301	Environmentally Sound Coil Cleaner	4190-08: Cal-Green or 4191-08: Evap Green	N/A
P902-0305	Environmentally Sound Coil Cleaner 5 gal pail	N/A	N/A
902-0355	Environmentally Sound Coil Cleaner 55 gal drum	4190-01: Cal-Green or 4191-01: Evap Green	N/A
P902-1018	Indoor Coil Cleaner No-Rinse (Aerosol)	4171-75: Evap Foam No Rinse	CK-20: Coil Klean
902-1001	Indoor Coil Cleaner No-Rinse (Green)	4168-08: Evap Power-C	AK-1: Acti-Klen
P902-1005	Indoor Coil Cleaner No-Rinse (Green) 5 gal pail	N/A	N/A
P902-1001A	Super Concentrate Indoor Coil Cleaner	N/A	N/A
	BASE™ No-Rinse	N/A	N/A
P902-1004	Super Concentrate Indoor Coil Cleaner	N/A	N/A
41	BASE™ No-Rinse Quart	N/A	N/A
Sprayers			The same of the
P902-9001	Trigger Sprayer (Quart)	4768-W3: Multi-Purpose Sprayer	N/A
902-9002	Tank Sprayer (2 Gallon Capacity)	4771-3: No. 220CP Poly Sprayer	N/A
902-9003	Multi-Ration Foam Gun	4774-0: Coil Gun	Coil Gun
902-9015	Tank Sprayer (1 Gallon Capacity)	4770-2: No. 100P Poly Sprayer	N/A
General Purpose (			
P902-1701	Total 9 Concentrate Cleaner	4186-08: Green Clean	Green Clean
902-1732	Total 9 Concentrate Cleaner Quart Sprayer	4186-24: Green Clean	N/A
P902-2001	Electronic Air Cleaner Concentrate	4135-08: CalClean or 4143-08: HD CalClean	N/A
P902-9020	EasyClean Heavy-Duty Hand Wipes	4366-87: Scrubs-In-A-Bucket or 4185-75: Great Wipes	Scrubs
Solvent Cleaners		Va -	1.00
902-1301	Solvent Cleaner & Degreaser	N/A	N/A
902-1325	Solvent Cleaner & Degreaser Quart Sprayer	N/A	N/A
902-3002	Degreasing Solvent	N/A	N/A
P902-1601	Internal Coil Cleaner	N/A	N/A
ndoor Air Quality	/ Odor Control	N/A	N/A
902-3601	Coil & Duct Spray	4126-08: Bio-Fresh CD	N/A
P902-3632	Coil & Duct Spray Quart Sprayer	4126-24: Bio-Fresh CD	Boi-Fresh CD
P902-9016	Fogging Machine for Duct Sanitizers	4693-0: Bio-Fresh Fogger	N/A
902-9016	Fogging Machine for Duct Sanitizers	4693-0: Bio-Fresh Fogger	N/A

Totaline Part Number	Description	NuCalgon Part Number	Other Part Number
P902-1125	Cooling Coil Anti-Foulant Treatment Quart	N/A	N/A
P902-39001	TotalFresh 1/2 Lb. Tub	Original TotalFresh	N/A
P902-39002	TotalFresh 1 Lb. Tub	Original TotalFresh	N/A
P902-39003	TotalFresh 3 Lb. Tub	Original TotalFresh	N/A
P902-39005	TotalFresh 30 Lb. Pail	Original TotalFresh	N/A
P902-39006	TotalFresh 1 Lb. Block	Original TotalFresh	N/A
P902-39009	TotalFresh II 1/2 Lb. Tub	Smells like Clen-Air	N/A
P902-39010	TotalFresh II 1 Lb. Tub	Smells like Clen-Air	N/A
P902-39004	TotalFresh Scented Spray Pint Sprayer	Original TotalFresh	N/A
P902-3901	TotalFresh Scented Spray 1 gal	Original TotalFresh	N/A
P902-39008	TotalFresh Un-Scented Spray Pint Sprayer	N/A	N/A
Drain Treatments			
P902-38001	Condensate Drain Pan Strips –	N/A	N/A
	Small Units 20-pack Jar		
P902-38002	Condensate Drain Pan Strips –	N/A	N/A
	Small Units Single Pack		
P902-38003	Condensate Drain Pan Strips –	N/A	N/A
ARTON	Up to 2.5 Tons Single Pack		
P902-38004	Condensate Drain Pan Strips –	N/A	N/A
4.7	3 to 5 Tons Single Pack		
P902-38005	Condensate Drain Pan Strips –	N/A	N/A
	6 to 10 Tons Single Pack		
P902-38006	Condensate Drain Pan Strips –	N/A	N/A
. 002 0000	Up to 20 Tons Single Pack		
P902-42001	Total Tabs Drain Cleaner	4296-60: Pan Treat	Pan-Treat
P902-42002	Mega Tab Gel-Style Drain Cleaner	4185-05: Gel Tab	Gel Tabs
P902-42003	Mega Tab 20 Ton	4185-20	
Leak Detectors			4 10 10
P902-1401	Spray-Type Leak Reactant (Blue) Refill	4182-08: Cal-Blue Plus Refill	10000
P902-1432	Spray-Type Leak Reactant (Blue) Quart Sprayer	4182-24: Cal-Blue Plus Quart Sprayer	Locator Leak Detector, LOC, Cal
Blue	opia, typo zoak koasian (z.a.o) waak opia, o	1102 2 11 Out Diag 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200000 20000 20000 3000
P902-4501	Dauber-Type Leak Detector Refill	4184-08: Fluorescent Gas Leak Detector	1 1 1 1 1 1 1 1 1 1
P902-4508	Dauber-Type Leak Detector 8 oz.	4184-53: Fluorescent Gas Leak Detector	Gas Leak Detector
P902-1432LT	Budboi Typo Louix Botootoi o oz.	4183-24	N/A
P902-1401LT	CHINAS STATES OF STATES	4183-08	N/A
Ice Machine Clea	aner	1100 00	147.
P902-1501	Ice Machine Cleaner (Green)	4287-08: Nickel-Safe Ice Machine Cleaner 1 Gallon	Nickle-Safe
P902-1516	Ice Machine Cleaner 16 oz. Spray Bottle	4287-34: Nickel-Safe Ice Machine Cleaner 1 Gallott	THOMO OUTO
	laintenance Products	1207 O I. Priorito Galo 100 Materiale Oleaner 10 UZ.	
P902-3232	Flame Retardant Spray	N/A	N/A
P902-3232	Wasp & Hornet Killer	4292-75: Nu-Kill II	Bee-Wasp, VB Wasp, Nu-Kil II
P902-4010	Switch & Contact Cleaner	4082-04 or -03: Electrical Contact Cleaner	Electrical Contact Cleaner
		4002-04 OF-03. Electrical Contact Cleaner	Electrical Contact Cleaner
P902-5101	Fin Protector		

Totaline Part Number	Description	NuCalgon Part Number	Other Part Number
P902-5116	Fin Protector (Aerosol)	4083-90: DuraCoil	
P903-8025	Penetrating Oil & Lubricant	4128-03: Break-n-Lube	WD-40 Style Products
P902-5505	One Shot Scale & Corrosion Control (Moly Based) 5 gal	N/A	N/A
Scale Removers	and Water Treatment		Table 1 To the
P902-1901	Totaline Freeze Protection	4188-07	N/A
P902-2501	Scale Remover Low-Foaming (Phos Based)	4167-08: Eco-Lyme	N/A
P902-2505	Scale Remover Low-Foaming (Phos Based) 5 gal	4167-05: Eco-Lyme	N/A
P902-2601	Scale Remover with pH Indicator (HCL based)	4330-08: Liquid Scale Desolver	N/A
P902-3501	Algaecide	4108-08: No. 85 Algaecide	N/A
P902-5501	One Shot Scale & Corrosion Control (Moly Based)	N/A	N/A
Mineral Refriger	ation Oils		
P903-0101	Mineral Refrigeration Oil 150 SUS	4303-07: C-3 Mineral Refr. Oil	3GS, WF32
P903-0105	Mineral Refrigeration Oil 150 SUS 5 gal	4303-05: C-3 Mineral Refr. Oil	Particle 1991
P903-0201	Mineral Refrigeration Oil 300 SUS	4304-07: C-4 Mineral Refr. Oil	4GS, WF68, C-4
P903-0205	Mineral Refrigeration Oil 300 SUS 5 gal	4304-05: C-4 Mineral Refr. Oil	N/A
Alkylbenzene (A	B) Refrigeration Oils		
P903-2001	Z150 Alkylbenzene	4310-07: Zerol 150	Zerol 150
P903-2005	Z150 Alkylbenzene 5 gal	N/A	N/A
P903-2101	Z200cx Alkylbenzene Copeland Compressor	4308-07: Zerol 200TD	Zerol 200TD
P903-2201	Z300 Alkylbenzene	4311-07: Zerol 300	N/A
Polyol Ester (PO	E) Refrigeration Oils	The second second	
P903-1001	POE68	4316-86: RL 68HB	Castrol Icematic SW 68,
			Emkarate RL 68HB or RL 68HP
P903-1005	POE68 5 gal	4316-85: RL 68HB	Castrol Icematic SW 68,
			Emkarate RL 68HB or RL 68HP
P903-1025	POE68 Quart	N/A	N/A
P903-1101	POE32	N/A	N/A
P903-1105	POE32 5 gal	N/A	N/A
P903-1125	POE32 Quart	N/A	N/A
P903-1501	POE100	4317-66: RL 100E	RL100H
P903-1505	POE100 5 gal	N/A	N/A
P903-1525	POE100 Quart	N/A	N/A
P903-1601	POE32 3MAF	4314-66: RL 32-3MAF	3MAF
P903-1625	POE32 3MAF	4314-64: RL 32-3MAF	3MAF
P903-1701	POE68e	4316-46: RL 68H	RL68H
P903-1705	POE68e 5gal	4316-45: RL 68H	N/A
P903-1725	POE68e Quart	4316-44: RL 68H	N/A
P903-1812	POE 32BC Bristol	N/A	N/A
P903-2301	POE220vs	4318-66: RL 220H+	Castrol Icematic SW 220 or SW 220XL
P903-2305	POE220vs 5 gal	4318-65: RL 220H+ or 4318-75: RL 220XL	N/A
P903-2325	POE220vs Quart	N/A	N/A
P903-2401	POE32e	4314-46: RL 32H	RL32H, EAL ARTIC 32
P903-2405	POE32e 5 gal	4314-45: RL 32H	RL32H
P903-2425	POE32e Quart	4314-44: RL 32H	N/A

Totaline		NuCalgon	Other
Part Number	Description	Part Number	Part Number
Polyvinyl Ether	(PVE) Refrigeration Oils	N/A	N/A
P903-1925	PVE68 Polyvinyl Ether	4319-24: FVC68D	FCD68
P903-2501	PVE32 Polyvinyl Ether	N/A	N/A
P903-2525	PVE32 Polyvinyl Ether Quart	4319-14: FVC32D	N/A
Vacuum Pump (	Dil	N/A	N/A
P903-0601	Vacuum Pump Oil	4383-07: Vacuum Pump Oil	Vacuum Pump Oil
P903-0605	Vacuum Pump Oil 5 gal	N/A	N/A
P903-0632	Vacuum Pump Oil Quart Squirt Top	4383-24: Vacuum Pump Oil	Vacuum Pump Oil
Insulation Produ	ucts		
P904-0101	Foam Insulation Tape	4219-12, -20 or 4218-12: Foam Tape	K-501, 4218-W3, Foam Insulation Tape
P904-0201	Cork Insulation Tape	4217-W3 or -12: Cork Tape	PT-1, 4217-W3, Premium Cork Tape
P904-0303	Sealing Gum Cords	4216-27: Sealing and Caulking Cords	Gum Cords
P904-0404	Sealing Gum Slugs	4216-92: Thumb-Tite	Gum Slugs

# Fluid Analysis Services

### TotalSense<sup>™</sup>Fluid Analysis Services

- One source for all HVAC/R system fluid analysis
- · Laboratory specialized in HVAC/R analysis
- Analytical reports with meaningful service recommendations
- Qualified staff available to answer your tough technical questions

Routine analysis of fluids used in HVAC/R equipment is essential to the proper maintenance and operation of the entire system. TotalSense™ Fluid Analysis Services encompass all analyses necessary to maintain and operate every type of HVAC/R equipment.



#### **Lubricant Analysis**

- Analysis for wear metals, moisture, acidity and oil type in air conditioning or refrigeration systems.
- Optional analysis for chloride content, ion activity, viscosity and % POE are available for certain compressors or system applications.

#### **Refrigerant Analysis**

· Analysis of CFC, HCFC and HFC refrigerants for contamination and degradation.

#### **Lithium Bromide Analysis**

Fluid analysis for corrosion inhibitor concentration in absorption chiller systems.

#### **Particle Count**

Fluid analysis for Lubricant cleanliness.

#### **Glycol Heat Transfer Fluid Analysis**

- Freeze point and concentration determination
- Fluid analysis for corrosion, additives, decomposition, and contaminants.

#### **Water Analysis**

 Analysis for hardness and corrosives in cooling towers, evaporative condensers, and closed loop systems.

#### **Filter Analysis**

 Standard analysis includes ID exam and gives relative amounts of metals found in the filter element.

#### **Toll-Free Technical Support**

• Engineering and analytical support is available by calling 1-877-460-7575.



# Fluid Analysis Services

### **TotalSense<sup>™</sup>Fluid Analysis Services**

Part No.	Description	Available Options
P915-0001	Lithium Bromide Analysis Kit	Octyl Alcohol
	Uninhibited	Ammonia
	Nitrate Inhibited	Arsenite
	<ul> <li>Chromate Inhibited</li> </ul>	<ul> <li>Molybdate &amp; Nitrate</li> </ul>
	<ul> <li>Molybdate Inhibited</li> </ul>	Purge Gas
	Arsenite Inhibited	
	Refrigerant Water	
P915-0003	Brine (Glycol) - Fluid Analysis Kit	- NA -
P915-0006	Water Analysis Kit	<ul> <li>Ammonia</li> </ul>
	COLUMN THE	<ul> <li>Electrical Conductivity</li> </ul>
		Other elements
P915-0007	Standard Oil Analysis Kit	Chlorides/Fluorides
* (0)	AD.	Ion Activity
1975 . PUS	200	<ul> <li>Viscosity</li> </ul>
A TOTAL	73.00	<ul> <li>Mixed Oil Percentage</li> </ul>
P915-0007-PC	Particle Count	- NA -
P915-0008	Filter (Oil & Refrigerant) Kit	- NA -
701,15 m	Analysis of foreign solids & sludge	
P915-0009	Refrigerant Analysis Kit - includes	Other refrigerant contamination
111111111111111111111111111111111111111	single-use, DOT approved refrigerant	Non-condensables
	cylinder and shipping paperwork	
Standard Service	3 - 5 days turnaround	<ul> <li>Oil, LiBr, refrigerant, water and glycol samples</li> </ul>
Rush Service	24 - 48 hours turnaround	<ul> <li>Oil, LiBr, refrigerant, water and glycol samples</li> </ul>

All analysis includes sample kit with collection and shipping instructions, information sheets, and sample containers. Analysis reports are available through US mail, fax or e-mail. View sample reports at www.fluidanalysisservices.com



Replacement Components • © Carrier Corporation 2017
Printed in the U.S.A. • Edition Date: Rev. C 02/2017 • Lit. No.: 570-729

For promotional information visit **www.totaline.com** and for technical information visit **www.hvacpartners.com**