



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

TABLE OF CONTENTS

SINGLE ZONE DUCTLESS

Compatibility Single Zone – Infinity® Series.....	2
Compatibility Single Zone – Performance® Series.....	3
Compatibility Single Zone – Comfort® Series.....	4

MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Performance® Series.....	5
---	---

CONTROLS DUCTLESS

Compatibility Controls.....	6
-----------------------------	---



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Compatibility Single Zone – Infinity® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MPRAQ09AA3	38MPRAQ12AA3		38MPRAQ18AA3	38MPRAQ24AA3	
		38MPRBQ09AA3	38MPRBQ12AA3	38MPRBQ18AA3			
High Wall	40MPHAQ09XA3	40MPHBQ09XA3	•				
	40MPHAQ12XA3	40MPHBQ12XA3		•			
		40MPHBQ18XA3			•		
	40MPHAQ18XA3					•	
	40MPHAQ24XA3						•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Single Zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT												
		38MAQB12--1		38MAQB09---3	38MAQB12---3	38MAQB18---3	38MAQB24---3	38MAQB30---3			38MBQB36---3	38MBQB48---3		
											38MBRQ36A--3	38MBRQ48A--3		
		38MAQB12R--1		38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3		38MBRBQ36AA3	38MBRBQ48AA3	38MBRQ58A--3	
		38MARBQ12AA1	38MARBQ06AA3	38MARBQ09AA3	38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MARBQ36AB3	38MBRCQ36AA3	38MBRCQ48AA3	38MBRCQ58AA3	
High Wall	40MAQB12B--1	40MAHBQ12XA1	•											
		40MAHBQ06XA3		•										
	40MAQB09B--3	40MAHBQ09XA3			•									
	40MAQB12B--3	40MAHBQ12XA3				•								
	40MAQB18B--3	40MAHBQ18XA3					•							
	40MAQB24B--3	40MAHBQ24XA3						•						
	40MAQB30B--3	40MAHBQ30XA3							•					
40MAQB36B--3	40MAHBQ36XA3								•					
Cassette	40MBQB09C--3	40MBCQ09---3		•										
	40MBQB12C--3	40MBCQ12---3			•									
	40MBQB18C--3	40MBCQ18---3				•								
	40MBCQ24---3	40MBCAQ24XA3					•							
	40MBCQ36---3	40MBCAQ36XA3									•			
	40MBCQ48---3	40MBCAQ48XA3										•		
1way-Cassette		40MCCAQ09XA3		•	•									
		40MCCAQ18XA3				•	•							
Ducted	40MBQB09D--3	40MBDQ09---3 40MBDAQ09XH3		•										
	40MBQB12D--3	40MBDQ12---3 40MBDAQ12XH3			•									
	40MBQB18D--3	40MBDQ18---3 40MBDAQ18XH3				•								
	40MBQB24D--3	40MBDQ24---3 40MBDAQ24XH3					•	•						
	40MBQB36D--3	40MBDQ36---3 40MBDAQ36XH3									•			
	40MBQB48D--3	40MBDQ48---3 40MBDAQ48XH3										•		
		40MBDQ58---3 40MBDAQ58XH3											•	
	40MBFQ12---3	40MBFAQ12XA3				•								
		40MBFQ18---3					•							
		40MBFQ24---3						•						
Console		40MBFQ36---3									•			
		40MBFQ48---3										•		
		40MBFQ58---3											•	
		40MBABQ18XB3					• †							
	40MBAAQ24XA3	40MBABQ24XB3						• †						
Air Handler		40MBABQ30XB3							• †					
		40MBABQ36XB3								•				
	40MBAAQ36XA3	40MBABQ36XA3									• †			
	40MBAAQ48XA3	40MBABQ48XA3										• †		
		40MBABQ60XA3											• †	

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:
Compatible with phased out outdoor unit models starting with serial number: 5122V10319, see TIC 2022-0021 for additional information



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Single Zone – Comfort® Series

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
High Wall	40MHHC09---1		•				
	40MHHC12---1			•			
	40MHHC12--A1			•			
	40MHHC09---3				•		
	40MHHC12---3					•	
	40MHHC12--A3					•	
	40MHHC18---3						•
	40MHHC24---3						•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT							
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3		
High Wall	40MHHQ09---1	40MHHAQ09XA1	•						
	40MHHQ12---1	40MHHAQ12XA1		•					
	40MHHQ09---3	40MHHAQ09XA3			•				
	40MHHQ12---3	40MHHAQ12XA3				•			
	40MHHQ18---3	40MHHAQ18XA3					•		
	40MHHQ24---3	40MHHAQ24XA3						•	
		40MHHAQ30XA3							•
	40MHHAQ36XA3								•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		38MFC009---1	38MFC012---1	38MFC012---3	38MFC018---3	38MFC022---3
High Wall	40MFC009---1	•				
	40MFC012---1		•			
	40MFC012---3			•		
	40MFC018---3				•	
	40MFC022---3					•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MFQ009---1	38MFQ012---1	38MFQ012---3	38MFQ017---3	38MFQ022---3
High Wall	40MFQ009---1	•				
	40MFQ012---1		•			
	40MFQ012---3			•		
	40MFQ017---3				•	
	40MFQ022---3					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Multi-zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT							
		38MGQC18---3	38MGQD27---3			38MGQF36---3 †	38MGQF48---3 †		
		38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3		38MGRQ36D--3 †	38MGRQ48E--3 †		
		38MGRBQ18BA3	38MGHBQ24CA3	38MGHBQ30DA3	38MGRBQ36DA3	38MGHBQ36DA3	38MGRBQ48EA3	38MGHBQ48EA3	
High Wall Infinity	40MPHAQ09XA3	40MPHBQ09XA3	•	•	•	•	•	•	•
	40MPHAQ12XA3	40MPHBQ12XA3	•	•	•	•	•	•	•
	40MPHAQ18XA3	40MPHBQ18XA3			•	•	•	•	•
	40MPHAQ24XA3								
High Wall Performance	40MAQB09B--3	40MAHBQ09XA3	•	•	•	•	•	•	•
	40MAQB12B--3	40MAHBQ12XA3	•	•	•	•	•	•	•
	40MAQB18B--3	40MAHBQ18XA3		•	•	•	•	•	•
	40MAQB24B--3	40MAHBQ24XA3			•	•	•	•	•
		40MAHBQ30XA3					•†	•†	•
		40MAHBQ36XA3					•†	•†	•
High Wall Comfort	40MHHQ09---3	40MHHAQ09XA3	•	•	•	•	•	•	•
	40MHHQ12---3	40MHHAQ12XA3	•	•	•	•	•	•	•
	40MHHQ18---3	40MHHAQ18XA3		•	•	•	•	•	•
	40MHHQ24---3	40MHHAQ24XA3			•	•	•	•	•
		40MHHAQ30XA3					•†	•†	•
		40MHHAQ36XA3					•†	•†	•
Cassette		40MBCQ09---3	•	•	•	•	•	•	•
		40MBCQ12---3	•	•	•	•	•	•	•
		40MBCQ18---3		•	•	•	•	•	•
		40MBCQ24---3			•	•	•	•	•
1way-Cassette		40MCCAQ09XA3	•	•	•	•	•	•	•
		40MCCAQ18XA3	•	•	•	•	•	•	•
Ducted		40MBQB09D--3	•	•	•	•	•	•	•
		40MBQB12D--3	•	•	•	•	•	•	•
		40MBQB18D--3		•	•	•	•	•	•
		40MBQB24D--3			•	•	•	•	•
High Static Ducted		40MBDAQ09XH3	•	•	•	•	•	•	•
		40MBDAQ12XH3	•	•	•	•	•	•	•
		40MBDAQ18XH3		•	•	•	•	•	•
		40MBDAQ24XH3			•	•	•	•	•
		40MBDAQ36XH3					•†	•†	•
Console		40MBFQ12---3	•	•	•	•	•	•	•
		40MBFQ18---3		•	•	•	•	•	•
		40MBFQ24---3			•	•	•	•	•
Air Handler †		40MBABQ18XB3		•	•	•	•	•	•
		40MBABQ24XB3			•	•	•	•	•
		40MBABQ30XB3					•†	•†	•†
		40MBABQ36XB3					•†	•†	•†

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:

A maximum two (2) AHUs (40MBABs) can be added to a MZ system. Refer to the application tables in the product data for allowed combinations. Regardless of size, when two (2) AHUs (40MBABs) are connected to any MZ ODU, no other indoor units can be added to the system. If a 30k or 36k AHU (40MBAB) is connected to a any outdoor unit, 500g (17.6 Oz) of additional refrigerant charge has to be added to the system. 30k or 36k indoor units (AHU and High Walls) are not compatible with phased out outdoor unit models.



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Controls

	Indoor unit type	Indoor Family Name	Single Zone / Multi-zone	HIGH WALL					CASSETTE		DUCTED	CONSOLE	AIR HANDLER	
				40MPHA	40MPHB	40MAQ	40MAHB	40MHHA	40MHHC	40MBCQ	40MBCAQ	40MBDQ	40MBFQ	40MBAA
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		○ 18k	○	○	○	○	○	○	○	○		
	KSACN0401AAA	Single Zone & Multi-zone	○		○ †							○ 9 -12 ‡		
	KSACN0501AAA	Single Zone & Multi-zone							○		●	○ 18-58		
	KSACN0601AAA	Single Zone & Multi-zone	○	○ 9-12k	○ †			○				○ 9 -12 ‡		
	KSACN0701AAA	Single Zone & Multi-zone							○	○	●**	○ 18-58		
	KSACN0801AAA	Single Zone & Multi-zone		○ 18k		○								
	KSACN0901AAA	Single Zone & Multi-zone					○							
	KSACN1001AAA	Single Zone & Multi-zone												●
24V INTERFACE*	KSAIC0101115	Single Zone Only			○ 115V				○ 115V					
	KSAIC0101230	Single Zone Only	○		○ 230V				○ 230V	○	○	○ 12-58 †		
	KSAIC0301230	Single Zone & Multi-zone	○	○	○ 230V	○ 230V	○ 230V	○ 230V	○	○	○	○ 12-58 †	BUILT-IN	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone							○ 9/12/24k					
	KSAIF0201AAA	Single Zone & Multi-zone							○ 18k					
	KSAIF0301AAA	Single Zone & Multi-zone	J	J	○	J		J						
	KSAIF0401AAA	Single Zone & Multi-zone							○		○	○ 18-58		○
	KSAIF0601AAA	Single Zone & Multi-zone	●	●			○	○		○				

○	Optional
●	Standard

Notes:

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

*** Only compatible with 40MHHAQ (Heat Pump High Wall)

** Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units.

*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted.

† 24V Interface compatible with all the sizes except sizes 12 and 58 depending on serial number. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the compatible control board.

Units built prior these serial number would require a Control Board Replacement on the Indoor unit in order to be compatible.

† Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision.

J Indoor unit model comes with everything to be compatible with the USB WiFi Dongle Model 17310900000281 from the KSAIF0301AAA kit. If installed in a high wall unit other than the 40MAQ, install the USB WiFi Dongle 17310900000281 into the high wall unit's factory USB port only and discard all other components of the KSAIF0301AAA kit.

Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS