



325 COMMERCE DRIVE
MT VERNON, OH 43050
800-253-8236

SPECIFICATION DATA SHEET

DATE: 4-16-13
PREPARED BY: RL

PAGE: 1

MODEL NO. 478




SQUARE TO ROUND TRANSITION

STANDARD MODEL

DIMENSIONS

SIZE

A	B	C	D	E
4" x 10" x 4"	4"	2"		
6" x 6" x 4"	4"	2"		
6" x 6" x 4"	5"	2"		
6" x 6" x 4"	4"	2"		
6" x 6" x 6"	4"	2"		
6" x 10" x 6"	4"	2"		
7" x 7" x 6"	4"	2"		
8" x 8" x 6"	4"	2"		
8" x 8" x 8"	4"	2"		
8" x 12" x 8"	4"	2"		
9" x 9" x 6"	4"	2"		
9" x 9" x 7"	4"	2"		
9" x 9" x 8"	4"	2"		
9" x 9" x 9"	4"	2"		
10" x 10" x 6"	4"	2"		
10" x 10" x 8"	4"	2"		
10" x 10" x 10"	4"	2"		
10" x 22" x 8"	4"	2"		
10" x 22" x 6"	4"	2"		
10" x 22" x 10"	4"	2"		



MATERIAL SPECIFICATIONS

HOT DIPPED GALVANIZED STEEL.
PER ASTM A 653 CSB.

BODY: 26 GAUGE CONSTRUCTION
COLLAR: 26 GAUGE

ASSEMBLED WITH 1/8" ZINC COATED RIVETS.

OPTIONS

AVAILABLE WITH 1" FLANGES
AVAILABLE WITH EARS
AVAILABLE WITH 1/2" RECESS FLANGES
AND OFFSET COLLAR

JOB: _____
LOCATION: _____
CONTRACTOR: _____
ENGINEER: _____
NOTES: _____



325 COMMERCE DRIVE
MT VERNON, OH 43050
800-253-8236

SPECIFICATION DATA SHEET

DATE: 4-16-13
PREPARED BY: RL

PAGE: 2

MODEL NO. 478

SQUARE TO ROUND TRANSITION

STANDARD MODEL

DIMENSIONS

SIZE

A	B	C	D	E
10" x 24" x 10"	4"	2"		
12" x 12" x 6"	4"	2"		
12" x 12" x 8"	4"	2"		
12" x 12" x 9"	4"	2"		
12" x 12" x 10"	4"	2"		
12" x 12" x 12"	4"	2"		
14" x 14" x 10"	4"	2"		
14" x 14" x 12"	4"	2"		
14" x 14" x 14"	4"	2"		
14" x 14" x 8"	4"	2"		
15" x 15" x 6"	4"	2"		
15" x 15" x 8"	4"	2"		
15" x 15" x 10"	4"	2"		
15" x 15" x 12"	4"	2"		
15" x 15" x 14"	4"	2"		
16" x 16" x 12"	4"	2"		
16" x 16" x 14"	4"	2"		
18" x 18" x 12"	4"	2"		
18" x 18" x 16"	4"	2"		

MATERIAL SPECIFICATIONS




HOT DIPPED GALVANIZED STEEL.
PER ASTM A 653 CSB.

BODY: 26 GAUGE CONSTRUCTION
COLLAR: 26 GAUGE

ASSEMBLED WITH 1/8" ZINC COATED RIVETS.

OPTIONS

AVAILABLE WITH 1" FLANGES
AVAILABLE WITH EARS
AVAILABLE WITH 1/2" RECESS FLANGES
AND OFFSET COLLAR



JOB: _____
LOCATION: _____
CONTRACTOR: _____
ENGINEER: _____
NOTES: _____



325 COMMERCE DRIVE
MT VERNON, OH 43050
800-253-8236

SPECIFICATION DATA SHEET

DATE: 4-16-13
PREPARED BY: RL

PAGE: 3

MODEL NO. 478




SQUARE TO ROUND TRANSITION

STANDARD MODEL

DIMENSIONS

SIZE

A	B	C	D	E
19" x 19" x 10"	4"	2"		
19" x 19" x 12"	4"	2"		
19" x 19" x 14"	4"	2"		
19" x 19" x 16"	4"	2"		
20" x 20" x 6"	4"	2"		
20" x 20" x 8"	4"	2"		
20" x 20" x 10"	4"	2"		
20" x 20" x 16"	4"	2"		
22" x 22" x 6"	4"	2"		
22" x 22" x 8"	4"	2"		
22" x 22" x 10"	4"	2"		
22" x 22" x 10"	4"	3"		
22" x 22" x 12"	4"	2"		
22" x 22" x 14"	4"	2"		
22" x 22" x 16"	4"	2"		
22" x 22" x 16"	4"	3"		
22" x 22" x 18"	4"	2"		
22" x 22" x 20"	4"	2"		
24" x 24" x 18"	4"	2"		



MATERIAL SPECIFICATIONS

HOT DIPPED GALVANIZED STEEL.
PER ASTM A 653 CSB.

BODY: 26 GAUGE CONSTRUCTION
COLLAR: 26 GAUGE

ASSEMBLED WITH 1/8" ZINC COATED RIVETS.

OPTIONS

AVAILABLE WITH 1" FLANGES
AVAILABLE WITH EARS
AVAILABLE WITH 1/2" RECESS FLANGES
AND OFFSET COLLAR

JOB: _____
LOCATION: _____
CONTRACTOR: _____
ENGINEER: _____
NOTES: _____