

# Premier Series



The Totaline® Premier Series of thermostats consists of programmable and non programmable air conditioner, heat pump and thermidistat control. These units feature mercury free non lead based electronic controls built into an attractive slim plastic enclosure.

**TOTALINE**®

# Premier Series Totaline® Thermostats

The P710 Premier Series Thermostats offer easy to use Non programmable thermostats which are well featured for a very competitive price. These thermostats are available in both heat pump and standard A/C applications



## Model P710-11NAC 1H/1C, Non Programmable, A/C

### Features:

- Single Stage (1H/1C)
- 1.4 Sq. Inches Display
- Large Temperature Font



## Model P710-21NHP 2H/1C, Non Programmable, Heat Pump, Universal Application

### Features:

- Heat Pump (2H/1C)
- 1.4 Inches Display
- Universal Application
- Large Temperature Font


### Standard Features For Both:

- |  |                                  |                                 |
|--|----------------------------------|---------------------------------|
| • Configurable back lighting                   | • English/Metric units selection | • Configurable set point limits |
| • Auto changeover available                    | • Keypad lockout                 | • Compressor Delay              |
| • Adjustable temperature limits                | • Zoning Switch                  | • Min Run Time                  |
| • Setting memory retention during power outage | • RC/RH power compatible         | • 5 Year Limited Warranty       |
| • Optional battery operation                   |                                  |                                 |

**TOTALINE**®

# Premier Series Totaline® Thermostats

The P720 Premier Series Non Programmable thermostats offer Universal application, Auto changeover, keypad lockout, and many other features while maintaining a competitive price.



## **Model P720-11NAC** **1H/1C, Non Programmable, A/C**

### **Features:**

- Single Stage (1H/1C)
- 2.6 Sq. Inches Display
- Cool On/Heat On Indication



## **Model P720-32NHP** **3H/2C, Non-Programmable, Heat Pump with** **Universal Application**

### **Features:**

- Heat Pump (3H/2C)
- 2.6 Sq. Inches Display
- Cool On/Heat On Indication
- Universal Application

### **Standard Features For Both:**

- |  |                                  |                                 |
|--|----------------------------------|---------------------------------|
| • Configurable back lighting                   | • Optional battery operation     | • Configurable set point limits |
| • Auto changeover available                    | • English/Metric units selection | • Compressor Time Guard         |
| • Adjustable temperature limits                | • Zoning Switch                  | • Min Run Time                  |
| • Keypad lockout                               | • RC/RH power compatible         | • 5 Year Limited Warranty       |
| • Setting memory retention during power outage |                                  |                                 |



# Premier Series Totaline® Thermostats

The P720 Premier Series Programmable Thermostats are first class for the money. The slim and elegant look with Touch and Go programmability make these thermostats above the competition.



## Model P720-11PAC

**1H/1C, 5-2 or All Days Programmable, A/C with Touch and Go Programming**

### Features:

- Single Stage (1H/1C)
- Touch and Go Programmability
- 5-2 or All Days Programmable
- 4 or 2 Periods per day Selectable
- 4.76 Sq. Inches Display
- Cool On/Heat On Indication



## Model P720-32PHP

**3H/2C, 5-2 or All Days Programmable, A/C with Touch and Go Programming**

### Features:

- Heat Pump (3H/2C)
- Touch and Go Programmability
- 5-2 or All Days Programmable
- 4 or 2 Periods per day Selectable
- 4.76 Inches Display
- Cool On/Heat On Indication
- Universal Application

### Standard Features For Both:

- |                                 |  |                                 |
|---------------------------------|--|---------------------------------|
| • Configurable back lighting    | • Setting memory retention during power outage | • Configurable set point limits |
| • Auto changeover available     | • Optional battery operation                   | • Compressor Time Guard         |
| • Adjustable temperature limits | • English/Metric units selection               | • Min Run Time                  |
| • Smart Recovery                | • Zoning Switch                                | • 5 Year Limited Warranty       |
| • Keypad lockout                | • RC/RH power compatible                       |                                 |

**TOTALINE**®



# Premier Series Totaline® Thermostats

The P730 Premier Series Non Programmable thermostats offer a top tier thermostat at a mid tier price. A low profile, two wire install and Touch and Go programmability make this thermostat hard to beat



## Model P730-11NAC

**1H/1C, Non Programmable, A/C,  
Touch and Go Programming with  
2-Wire Low Profile Installation**

### Features:

- Single Stage (1H/1C)
- Touch and Go Programmability
- 2 Wire Install
- Low Profile Install



## Model P730-32NHP

**3H/2C, Non Programmable, A/C,  
Touch and Go Programming with  
2-Wire Low Profile Installation**

### Features:

- Heat Pump (Up To 3H/2C)
- Touch and Go Programmability
- 2 Wire Install
- Low Profile Install
- Universal Application

### Standard Features For Both:

- Continuous and Configurable back lighting
- Auto changeover available
- Adjustable temperature limits
- Keypad lockout
- Setting memory retention during power outage
- Battery Free
- English/Metric units selection
- Filter/UV Light/Humidifier Pad Replacement Indicators
- RC/RH power compatible
- Dual Fuel Compatible
- Configurable set point limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication
- Outdoor Air Temperature Sensor Option
- Diagnostic Codes
- Dry Contacts
- 5 Sq. Inches Display
- 5 Year Limited Warranty

**TOTALINE**®

# Premier Series Totaline® Thermostats

The P730 Premier Series Thermostats with humidity control is one of the top thermostats in the industry. Offered in both programmable and non-programmable versions, the features on this thermostat are unprecedented.



## Model P730-32NRH

**3H/2C, Non-Programmable, Heat Pump with Humidity Control, Universal Application, 2-Wire Installation, and Touch and Go Programmability**

### Features:

- Heat Pump (Up To 3H/2C)
- 9 Sq. Inches Display
- Humidification Control
- Touch and Go Programmability
- 2 Wire Install
- Low Profile Install



## Model P730-32PRH

**3H/2C, 7, 5-2 or All Days Programmable, Heat Pump with Humidity Control, Universal Application, 2-Wire Installation**

### Features:

- Heat Pump (Up To 3H/2C)
- 9 Sq. Inches Display
- 7, 5-2, or All Days Programmable
- Humidification Control
- Outside Air Sensor Included
- Programmable with PC
- 2 Wire Install
- Low Profile Install
- Universal Application
- Outdoor Air Temperature Sensor Included
- Universal Application
- Outdoor Air Temperature Sensor Included
- Outdoor Air Temperature Sensor Included
- Programmable Fan Option
- Outdoor Air Temperature Sensor Option
- 4 or 2 Periods Per Day Programmability
- Remote Room Sensor Option
- Vacation Mode Controls Temperature and Humidity
- Adjusts Automatically for Daylight Savings

### Standard Features For Both:

- Continuous and Configurable back lighting
- Auto changeover available
- Adjustable temperature limits
- Keypad lockout
- Setting memory retention during power outage
- Battery Free
- English/Metric units selection
- Filter/UV Light/Humidifier Pad Replacement Indicators
- RC/RH power compatible
- Dual Fuel Compatible
- Configurable set point limits
- Compressor Time Guard
- Min Run Time
- Cool On/Heat On Indication
- Dry Contacts
- Diagnostic Codes
- 5 Year Limited Warranty

**TOTALINE**

# Premier Series Totaline® Thermostats

The P730 Premier Series Programmable thermostats have it all. The low profile, two wire install coupled with programmable fan and an easy to read 9 sq. inch display make this hard to beat.



## Model P730-11PAC

**1H/1C, 7, 5-2 or All Days Programmable,  
A/C, Programmable with PC  
2-Wire Low Profile Installation**

### Features:

- Single Stage (1H/1C)
- 9 Sq. Inches Display
- 7, 5-2, or All Days Programmable
- Programmable with PC
- 2 Wire Install
- Low Profile Install
- Programmable Fan Option



## Model P730-32PHP

**3H/2C, 7, 5-2 or All Days Programmable, Heat Pump,  
Universal Application, Programmable with PC  
2-Wire Low Profile Installation**

### Features:


- Heat Pump (Up To 3H/2C)
- 9 Sq. Inches Display
- 7, 5-2, or All Days Programmable
- Programmable with PC
- 2 Wire Install
- Low Profile Install
- Programmable Fan Option
- Universal Application

### Standard Features For Both:

- |  |  |                             |
|--|--|-----------------------------|
| • Continuous and Configurable back lighting    | • RC/RH power compatible                 | • Remote Room Sensor Option |
| • Auto changeover available                    | • Dual Fuel Compatible                   | • Vacation Mode Controls    |
| • Adjustable temperature limits                | • Configurable set point limits          | • Temperature and Humidity  |
| • Keypad lockout                               | • Compressor Time Guard                  | • Adjusts Automatically for |
| • Setting memory retention during power outage | • Min Run Time                           | Daylight Savings            |
| • Battery Free                                 | • Cool On/Heat On Indication             | • Diagnostic Codes          |
| • English/Metric units selection               | • Outdoor Air Temperature                | • Dry Contacts              |
| • Filter/UV Light/Humidifier Pad               | Sensor Option                            | • 5 Year Limited Warranty   |
| Replacement Indicators                         | • 4 or 2 Periods Per Day Programmability |                             |

**TOTALINE**®

# Premier Series Totaline® Thermostats



## Model P740-42PRH

**Full Touch Screen, 4H/2C, 7 Programmable with Humidity Control.**

***With Enter Your Name and Contact Information In The Display Option***

The Totaline P740 Premier Series color touch has all the bells and whistles in the industry. An easy to use high definition touch-screen with humidity control and dual fuel capability make this a winner.

### Features:

- 4 stages Heat, 2 stages Cool
- 7 Day Programmable
- Full humidity control
- True Dual Fuel compatible
- Outdoor Air temperature compatible
- Remote Room sensor compatible
- Maintenance Reminders
- Error Codes
- Full QWERTY keyboard for data entry
- High definition full color touch-screen display
- Simplified programming with options for 4 daily periods during individual days, all days same, or weekday/weekend schedule
- Adjustable/resettable filter and service reminders
- Multiple hold options, including indefinite hold and timed override hold
- Touch screen lockout option
- Screen cleaning function (disables touch-screen for 30 seconds)
- Non-volatile memory (except clock) holds program settings indefinitely without power
- 24 hr Clock
- Diagnostics codes
- 5 Year Limited Warranty

